

Our co-polymer twisted rope provides higher breaking strength and better abrasion resistance than mono-filament polypropylene or manila rope.

Manufactured of co-polymer fibers (polypropylene and polyethylene), this rope resists to rot and mildew, as well as to acids and alkalis.

Features

- Does not absorb water (floats)
- Excellent abrasion resistance
- Easy to splice

Applications

- Rope cargo nets
- Climbing nets
- Mooring lines
- Messenger lines
- Aquaculture



SPECIFICATIONS

- Standard color: Light green with yellow tracer
- Spool length: 366 m (1200')
- Larger diameters available upon request

Code	Diameter		kg per 100m	lbs per 100'	Breaking Strength	
	(mm)	(in)			(kg)	(lbs)
CPTR081	6	1/4	1.98	1.33	680	1 500
CPTR101	8	5/16	3.35	2.25	1 202	2 650
CPTR121	10	3/8	4.96	3.33	1 800	3 968
CPTR141	11	7/16	5.95	4.00	1 989	4 385
CPTR161	12	1/2	7.31	4.92	2 700	5 952
CPTR201	16	5/8	12.27	8.25	4 627	10 200
CPTR241	19	3/4	14.87	10.00	5 800	12 787
CPTR281	22	7/8	22.56	15.17	8 300	18 300
CPTR321	24	1	28.38	19.08	9 898	21 820

Barry Cordage Ltd.

6110 boul. des Grandes Prairies
 Montreal QC H1P 1A2 Canada
 ☎ 514.328.3888 📠 514.328.1963
 1.800.305.2673 (Canada / USA)